## In the Claims

1. (Currently Amended) A hanger apparatus
comprising:

a helix having an anterior a first coil and a posterior second coil; [[and]]

engagement means <u>depending from said first coil</u>

<del>carried by said helix</del> for receiving and holding a

selected object;

at least one coil intermediate said first coil and said second coil; and

said coils fabricated of a strand of material and
having incrementally graduated diameters forming a
frusto-conically tapered shape of the helix having a
hollow core, said first coil having a larger diameter
than said second coil.

Claims 2-4. (Canceled).

Serial No. 10/785,451 Art Unit 3632

- 5. (Currently Amended) The hanger apparatus of Claim [[4]] 1, wherein said strand of material is resilient.
- 6. (Currently Amended) The hanger apparatus of Claim [[4]] 1, wherein said strand of material is substantially rigid.
- 7. (Currently Amended) The hanger apparatus of Claim

  1, wherein said engagement means includes a hook depending

  from said posterior first coil.

Serial No. 10/785,451 Art Unit 3632

8. (Currently Amended) A hanger assembly comprising:

a supporting substrate <a href="having opposing first and second sides and an opening therethrough extending">having opposing first and second sides and an opening therethrough extending</a> from said first side to said second side;

a helix extending through said opening and including at least a first coil and a second coil first and second coils for receiving said substrate therebetween; [[and]]

said first and second coils fabricated of a

strand of material and having incrementally graduated

diameters forming a frusto-conically tapered shape of

said helix having a hollow core, said first coil

having a larger diameter than said second coil;

engagement means <u>depending from said first coil</u>

<del>carried by one of said coils</del> for receiving and

supporting a selected object;

said first coil received against said first side

of said substrate and said second coil received

against said second side of said substrate;

Serial No. 10/785,451 Art Unit 3632

said first and second coils of said helix
mutually biased compressively retaining said substrate
therebetween said first and second coils.

Claims 9 and 10. (Canceled)

11. (Currently Amended) The bracket of Claim 8, wherein said engagement means includes a hook depending from said one of said coils.

Claims 12-25. (Canceled)